

Dr Clays A-level Chemistry

UNIT 2 TOPIC 3

Period 3 Elements ANSWERS

Dr Chris Clay
http://drclays-alevelchemistry.com/

Unit 2 Topic 3– Period 3 Elements ANSWERS

Exercise 1 – Chemical Properties of Period 3 Elements ANSWERS

1. a) $2Na(s) + 2H_2O(l) \rightarrow 2NaOH + H_2(g)$

   b) $Mg(s) + H_2O(g) \rightarrow MgO(s) + H_2(g)$

2. a) $4Na(s) + O_2(g) \rightarrow 2Na_2O(s)$

   b) $2Mg(s) + O_2(g) \rightarrow 2MgO(s)$

   c) $4Al(s) + 3O_2(g) \rightarrow 2Al_2O_3(s)$

   d) $Si(s) + O_2(g) \rightarrow SiO_2(s)$

   e) $4P(s) + 5O_2(g) \rightarrow P_4O_{10}(s)$

   f) $S(s) + O_2(g) \rightarrow SO_2(g)$

Unit 2 Topic 3– Period 3 Elements ANSWERS

Exercise 2 – Physical and Chemical Properties of Period 3 Oxides ANSWERS

1. a) the charges on Mg^{2+} and Al^{3+} are larger than the charge on Na^{+}
and Mg^{2+} and Al^{3+} are smaller in size than Na^{+}
so the attraction between Mg^{2+} and O^{2-}, and between Al^{3+} and O^{2-} is
greater than the attraction between Na^{+} and O^{2-}
so more energy is needed to separate the ions

b) SiO_2 is giant covalent
and much energy is required
to break the covalent bonds between Si and O atoms

c) P_4O_{10} and SO_2 are simple molecular
SiO_2 is giant covalent
Less energy is required to break intermolecular forces between P_4O_{10} or SO_2 molecules
Than is required to break covalent bonds between Si and O atoms

d) The P_4O_{10} molecules are larger than SO_2 molecules
so the intermolecular forces between P_4O_{10} molecules
are larger than the intermolecular forces between SO_2 molecules
so more energy is required to separate P_4O_{10} molecules than SO_2 molecules

2. a) i) $Na_2O(s) + H_2O(l) \rightarrow 2NaOH(aq)$ pH 12 - 14

ii) $MgO(s) + H_2O(l) \rightarrow Mg(OH)_2(s)$ pH 8 – 9

iii) $P_4O_{10}(s) + 6H_2O(l) \rightarrow 4H_3PO_4(aq)$ pH 2 – 4

iv) $SO_2(g) + H_2O(l) \rightarrow H_2SO_3(aq)$ pH 2 - 4

v) $SO_3(g) + H_2O(l) \rightarrow H_2SO_4(aq)$ pH 1 - 3

b) i) $Na_2O(s) + 2HCl(aq) \rightarrow 2NaCl(aq) + H_2O(l)$

ii) $MgO(s) + 2HCl(aq) \rightarrow MgCl_2(aq) + H_2O(l)$

Unit 2 Topic 3– Period 3 Elements ANSWERS

iii) $Al_2O_3(s) + 6HCl(aq) \rightarrow 2AlCl_3(aq) + 3H_2O(l)$

c) i) $Al_2O_3(s) + 2NaOH(aq) + 3H_2O(l) \rightarrow 2NaAl(OH)_4(aq)$

ii) $SiO_2(s) + 2NaOH(aq) \rightarrow Na_2SiO_3(aq) + H_2O(l)$

iii) $P_4O_{10}(s) + 12NaOH(aq) \rightarrow 4Na_3PO_4(aq) + 6H_2O(l)$

iv) $SO_2(g) + 2NaOH(aq) \rightarrow Na_2SO_3(aq) + H_2O(l)$

v) $SO_3(g) + 2NaOH(aq) \rightarrow Na_2SO_4(aq) + H_2O(l)$

d) Na_2O and MgO are basic

they react with water to give solutions with pH greater than 7

and they react with acids.

These oxides are basic because the bonding is ionic.

Al_2O_3 is amphoteric

It reacts with acids and with alkalis

Al_2O_3 is amphoteric because the bonding is intermediate between ionic and covalent

SiO_2, P_4O_{10}, SO_2 and SO_3 are acidic

They react with water to give solutions with pH less than 7

And they react with alkalis

These oxides are acidic because the bonding is covalent.